

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-406.0-01

English Version

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

**"Cavipor FTX"**

Thermal insulation products for buildings  
"In-Situ Formed Thermal Insulation Made of Mineral-Based Foam"  
(details see annex)

produced by or for

**BASF SE**

Carl-Bosch-Straße 38, 67056 Ludwigshafen am Rhein  
Germany

and produced in the manufacturing plant(s)

**BASF SE**

**67056 Ludwigshafen am Rhein**  
Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

**ETA-19/0240**

and

**EAD 041561-00-1201**

under **System 1** for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 10.07.2024 and will remain valid (but no longer than 10.07.2026) as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Gräfelfing, 10 July 2025

Dr. Andreas Schmeller

Certification Body

# ANNEX TO CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-406.0-01  
English Version

**Factory:** BASF SE, Carl-Bosch-Straße 38,  
67056 Ludwigshafen, Ludwigshafen, Germany

**Construction product(s):** Cavior FTX  
In-Situ Formed Thermal Insulation Made of Mineral-Based Foam

**Intended use:** **Thermal insulation products for buildings**

**Level(s) or class(es)  
Reaction to fire:** for uses subject to regulations of reaction to fire A1, A2, B, C.  
Products for which a clearly identifiable stage in the production process  
results in an improvement in the reaction to fire classification.

**System of Assessment and Verification of Constancy of Performance: 1**

Table 1: Description of the product

	Product			Classification*)		
	Name	Facing/ Coating	Thickness/Range mm	Reaction to Fire Class	Density Range kg/m <sup>3</sup>	Classification Report or Test Report*
1	Cavior FTX 1	----	40 - 150	A2-s1, d0	≈ 35	1

\*) see classification report or test report No. 1) KB-Hoch-180327-3

Gräfelfing, 10 July 2025



Dr. Andreas Schmeller

Certification Body