

# Safety data sheet

Page: 1/16

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

# Cavipor T0

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Chemical

# 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

# 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

### **SECTION 2: Hazards Identification**

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2 H319 Causes serious eye irritation.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P280 Wear eye protection.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

# 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/Information on Ingredients**

### 3.1. Substances

Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0 Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

### 3.2. Mixtures

### Chemical nature

surfactants, in water

### Regulatory relevant ingredients

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Content (W/W): >= 0,3 % - < 5 % Skin Corr./Irrit. 2 CAS Number: 68891-38-3 Eye Dam./Irrit. 1

> Specific concentration limit: Eye Irrit. 2: > 10 - < 30 %Eye Dam. 1: >= 30 %

Potassium methylsilanetriolate

Content (W/W): >= 0,2 % - < 3 % CAS Number: 31795-24-1 Skin Corr./Irrit. 1A Eye Dam./Irrit. 1

EC-Number: 250-807-9 H314

REACH registration number: 01-

2119517439-34

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -

isothiazol-3- one [EC no. 220-239-6] (3:1)

Content (W/W): > 0 % - < 0,1 % Acute Tox. 3 (oral)

Acute Tox. 2 (Inhalation - mist) CAS Number: 55965-84-9

REACH registration number: 01-Acute Tox. 2 (dermal) Skin Corr./Irrit. 1C

2120764691-48

NDEX-Number: 613-167-00-5 Eve Dam./Irrit. 1

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100

H301, H317, H314, H310 + H330, H400, H410

EUH071

Specific concentration limit:

Skin Sens. 1A: >= 0,0015 % Eye Dam./Irrit. 1: >= 0,6 % Eye Dam./Irrit. 2: 0,06 - < 0,6 % Skin Corr./Irrit. 1C: >= 0,6 % Skin Corr./Irrit. 2: 0,06 - < 0,6 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

### **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

### 5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours, carbon oxides, sulfur oxides

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### 5.3. Advice for fire-fighters

Special protective equipment:

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### **SECTION 6: Accidental Release Measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

# 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

# 7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from acids.

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, High density polyethylene (HDPE), Low density polyethylene (LDPE), glass

Unsuitable materials for containers: Aluminium

Further information on storage conditions: Keep container tightly closed.

Storage class according to TRGS 510 (originally VCI, Germany): (8B) Non-combustible corrosive substances

Storage stability:

Storage temperature: 5 - 40 °C Storage duration: 12 Months

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

Protect from temperatures below:-10 °C Protect from temperatures above:40 °C

# 7.3. Specific end use(s)

technical and organizational protective maesures are preferable to use (personal protective Equipment must not be a permanent measure)

# **SECTION 8: Exposure Controls/Personal Protection**

### 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

### 8.2. Exposure controls

### Appropriate engineering controls

No special precautions necessary.

### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. (Particle filter EN 143 P2 or FFP2)

Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

### Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

### Eve protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

When using do not eat or drink. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

State of matter: liquid

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

Form: liquid

Colour: colourless to yellowish clear

Odour: product specific

melting range: -2 - 0 °C (DIN ISO 3016)

Boiling point: approx. >= 100 °C

not determined, contains water

Flammability: not flammable

Flash point:

Not determinable., Aqueous

preparation

Auto-ignition temperature:

Based on the water content the

product does not ignite.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: approx. 12,0 (DIN EN 1262)

(water, 10 %(m), 23 °C)

Viscosity, dynamic: approx. 80 mPa.s (ISO 12058-1)

(20 °C)

approx. 50 mPa.s (ISO 12058-1)

(40°C)

Solubility in water: soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure: 23,4 hPa

(20 °C)

contains water, Literature data.

Density: approx. 1,02 g/cm3 (DIN 51757)

(20 °C)

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

### 9.2. Other information

# Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Other safety characteristics

Hygroscopy: Non-hygroscopic

Surface tension: approx. 40,7 mN/m (DIN EN 14370)

(20 °C; 0,5 %(V))

to Regulation (EC) No 1907/2006. Date / Revised: 18.07.2023

Version: 3.0 Previous version: 2.0

Date previous version: 16.12.2022 Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

# **SECTION 10: Stability and Reactivity**

# 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

# 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

# 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

-----

#### Irritation

Assessment of irritating effects:

Eye contact causes irritation. May cause slight irritation to the respiratory tract. May cause slight irritation to the skin.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

Experimental/calculated data:

Serious eye damage/irritation

: Tested as a preparation. Eye contact causes irritation.

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of irritating effects: Skin contact causes irritation.

May cause severe damage to the eyes.

-----

### Respiratory/Skin sensitization

Assessment of sensitization:

A sensitizing effect on particularly sensitive individuals cannot be excluded.

Information on: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Assessment of sensitization:

Sensitization after skin contact possible.

\_\_\_\_\_

### Germ cell mutagenicity

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. No mutagenic effect was found in various tests with mammalian cell culture and mammals.

# Carcinogenicity

No data available.

# Reproductive toxicity

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

-----

# **Developmental toxicity**

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

.....

# Specific target organ toxicity (single exposure)

No data available.

to Regulation (EC) No 1907/2006. Date / Revised: 18.07.2023

Version: 3.0 Previous version: 2.0

Date previous version: 16.12.2022 Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

-----

Aspiration hazard

No data available.

Interactive effects

No data available.

### 11.2. Information on other hazards

### Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 12: Ecological Information**

### 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (48 h) > 1 - 10 mg/l, Leuciscus idus (DIN EN ISO 7346-2)

Aquatic invertebrates:

EC50 (24 h) > 100, Daphnia magna

Aquatic plants:

EC50 (96 h) > 1 - 10 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201) acute Effect

EC10 > 1 mg/l, Desmodesmus subspicatus long-term effect

Microorganisms/Effect on activated sludge:

EC0 (30 min) > 1 - 10 mg/l, Pseudomonas putida (OECD Guideline 209)

Chronic toxicity to fish:

No data available.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0 Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

Chronic toxicity to aquatic invertebrates:

No data available.

Information on:Alcohols, C12-14, ethoxylated, sulfates, sodium salts Toxicity to fish:

LC50 (48 h) 9,6 mg/l, Leuciscus idus (Screening (style of OECD 203))

-----

Information on:Alcohols, C12-14, ethoxylated, sulfates, sodium salts Aquatic invertebrates:

EC50 (24 h) > 148 mg/l, Daphnia magna (other)

-----

Information on:Alcohols, C12-14, ethoxylated, sulfates, sodium salts Aquatic plants:

EC50 (96 h) 7,5 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201) acute Effect

EC10 1,5 mg/l, Desmodesmus subspicatus long-term effect

-----

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested.

Information on:Alcohols, C12-14, ethoxylated, sulfates, sodium salts Assessment biodegradation and elimination (H2O): Readily biodegradable (according to OECD criteria).

Information on:1,2-benzisothiazol-3(2H)-one Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

-----

# 12.3. Bioaccumulative potential

Assessment bioaccumulation potential: Accumulation in organisms is not to be expected.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is possible.

### 12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

### 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8. Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

# **SECTION 13: Disposal Considerations**

### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

# **SECTION 14: Transport Information**

### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

**RID** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:

Not applicable
Not applicable
Not applicable

Special precautions for

user

None known

### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

### Sea transport

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

#### **IMDG**

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

to Regulation (EC) No 1907/2006.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (1) Weakly water polluting.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

# 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

### **SECTION 16: Other Information**

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Corr./Irrit. Skin corrosion/irritation

Acute Tox. Acute toxicity
Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

Eye Irrit. Eye irritation

Eye Dam. Serious eye damage

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction. H310 + H330 Fatal in contact with skin or if inhaled.

H400 Very toxic to aquatic life.

Date / Revised: 18.07.2023 Version: 3.0
Date previous version: 16.12.2022 Previous version: 2.0

Date / First version: 11.11.2021

Product: Cavipor T0

(ID no. 11080958/SDS\_GEN\_DE/EN)

Date of print 14.08.2023

H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

### **Abbreviations**

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail, TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.